

	Type	Hits	Search Text	DBs	Time Stamp
1	BRS	9761	707/1-3,8,10.ccls.	US-PGPUB; USPAT	2004/02/07 12:17
2	BRS	4425	707/100-102.ccls.	US-PGPUB; USPAT	2004/02/07 12:17
3	BRS	3635	707/200,202-205.ccls.	US-PGPUB; USPAT	2004/02/07 12:18
4	BRS	1544	710/1,22,23.ccls.	US-PGPUB; USPAT	2004/02/07 12:18
5	BRS	4823	711/100,101,111,112,154,159- 162,165.ccls.	US-PGPUB; USPAT	2004/02/07 12:19
6	BRS	14890	707/1-3,8,10.ccls. or 707/100- 102.ccls. or 707/200,202- 205.ccls.	US-PGPUB; USPAT	2004/12/23 10:42
7	BRS	6271	710/1,22,23.ccls. or 711/100,101,111,112,154,159- 162,165.ccls.	US-PGPUB; USPAT	2004/02/11 08:31
8	BRS	14940	707/1-3,8,10.ccls. or 707/100- 102.ccls. or 707/200,202- 205.ccls.	US-PGPUB; USPAT	2005/04/20 11:02
9	BRS	6282	710/1,22,23.ccls. or 711/100,101,111,112,154,159- 162,165.ccls.	US-PGPUB; USPAT	2004/12/23 10:42
10	BRS	30746	(identif\$4 with data) and (storage adj device\$2)	US-PGPUB; USPAT	2004/02/10 09:08
11	BRS	2213	(identif\$4 with data) and (storage adj device\$2) and ((categoriz\$4 or classif\$4) with data)	US-PGPUB; USPAT	2004/02/10 09:12
12	BRS	1	(identif\$4 with data) and (storage adj device\$2) and ((categoriz\$4 or classif\$4) with data) and ((reallocat\$4 or reassign\$4) with portion adj2 data)	US-PGPUB; USPAT	2004/02/10 09:32
13	BRS	156	(identif\$4 with data) and (storage adj device\$2) and ((categoriz\$4 or classif\$4) with data) and (alert\$4 with user)	US-PGPUB; USPAT	2004/02/10 09:12
14	BRS	37	(identif\$4 with data) and (storage adj device\$2) and ((categoriz\$4 or classif\$4) with data) and (alert\$4 with user) and (threshold with (satisf\$4 or obtain\$4 or reach\$4))	US-PGPUB; USPAT	2004/02/10 09:14

	Type	Hits	Search Text	DBs	Time Stamp
15	BRS	12	((707/1-3,8,10.ccls. or 707/100-102.ccls. or 707/200,202-205.ccls. ) or (710/1,22,23.ccls. or 711/100,101,111,112,154,159-162,165.ccls. )) and ((identif\$4 with data) and (storage adj device\$2) and ((categoriz\$4 or classif\$4) with data) and (alert\$4 with user) and (threshold with (satisf\$4 or obtain\$4 or reach\$4)))	US-PGPUB; USPAT	2005/04/20 16:49
16	BRS	9	((707/1-3,8,10.ccls. or 707/100-102.ccls. or 707/200,202-205.ccls. ) or (710/1,22,23.ccls. or 711/100,101,111,112,154,159-162,165.ccls. )) and ((identif\$4 adj2 data) and (storage adj device\$2) and ((categoriz\$4 or classif\$4) with data) and (alert\$4 with user) and (threshold with (satisf\$4 or obtain\$4 or reach\$4)))	US-PGPUB; USPAT	2004/02/10 09:19
17	BRS	1	((categoriz\$4 or classif\$4) with data) and ((reallocat\$4 or reassign\$4) with portion adj2 data)	US-PGPUB; USPAT	2004/02/10 09:31
18	BRS	5	((707/1-3,8,10.ccls. or 707/100-102.ccls. or 707/200,202-205.ccls. ) or (710/1,22,23.ccls. or 711/100,101,111,112,154,159-162,165.ccls. )) and ((identif\$4 with data) and ((reallocat\$4 or reassign\$4) with portion adj2 data))	US-PGPUB; USPAT	2004/02/10 09:44
19	BRS	11	(identif\$4 with data) and ((reallocat\$4 or reassign\$4) with portion adj2 data)	US-PGPUB; USPAT	2004/02/10 09:43

20	BRS	5	((707/1-3,8,10.ccls. or 707/100-102.ccls. or 707/200,202-205.ccls. ) or (710/1,22,23.ccls. or 711/100,101,111,112,154,159- 162,165.ccls. )) and ((identif\$4 with data) and ((reallocat\$4 or reassign\$4) with (portion or part) adj2 data))	US-PGPUB; USPAT	2004/02/10 09:44
----	-----	---	--	--------------------	---------------------

	Type	Hits	Search Text	DBs	Time Stamp
21	BRS	15	(identif\$4 with data) and ((reallocate\$4 or reassign\$4) with (portion or part) adj2 data)	US-PGPUB; USPAT	2004/02/10 09:56
22	BRS	1417	(identif\$4 with data) and ((reallocate\$4 or reassign\$4) and (portion or part) adj2 data)	US-PGPUB; USPAT	2004/02/10 09:56
23	BRS	478	(identif\$4 with data) and ((reallocate\$4 or reassign\$4) with data) and ((portion or part) adj2 data)	US-PGPUB; USPAT	2004/02/10 09:58
24	BRS	53	((707/1-3,8,10.ccls. or 707/100-102.ccls. or 707/200,202-205.ccls. ) or (710/1,22,23.ccls. or 711/100,101,111,112,154,159- 162,165.ccls. )) and ((identif\$4 with data) and ((reallocate\$4 or reassign\$4) with data) and ((portion or part) adj2 data))	US-PGPUB; USPAT	2004/02/10 09:58
25	BRS	14940	707/1-3,8,10.ccls. or 707/100- 102.ccls. or 707/200,202- 205.ccls.	US-PGPUB; USPAT	2004/02/10 17:08
26	BRS	6282	710/1,22,23.ccls. or 711/100,101,111,112,154,159- 162,165.ccls.	US-PGPUB; USPAT	2005/04/20 11:02
27	BRS	1070	pie adj chart\$2	US-PGPUB; USPAT	2004/02/10 17:09
28	BRS	1	drill\$2down adj2 format\$2 and (pie adj chart\$2)	US-PGPUB; USPAT	2004/02/10 17:10
29	BRS	1	((707/1-3,8,10.ccls. or 707/100-102.ccls. or 707/200,202-205.ccls. ) or (710/1,22,23.ccls. or 711/100,101,111,112,154,159- 162,165.ccls. )) and (drill\$2down adj2 format\$2)	US-PGPUB; USPAT	2004/02/10 17:11
30	BRS	26	drill\$2down with format\$2	US-PGPUB; USPAT	2004/02/10 17:11
31	BRS	1	((707/1-3,8,10.ccls. or 707/100-102.ccls. or 707/200,202-205.ccls. ) or (710/1,22,23.ccls. or 711/100,101,111,112,154,159- 162,165.ccls. )) and (drill\$2down with format\$2)	US-PGPUB; USPAT	2004/02/10 17:11

32	BRS	9	drill\$2down adj2 format\$2	US-PGPUB; USPAT	2004/02/11 10:15
----	-----	---	-----------------------------	--------------------	---------------------

	Type	Hits	Search Text	DBs	Time Stamp
33	BRS	91803	receiv\$4 with command\$2	US-PGPUB; USPAT	2004/02/10 17:14
34	BRS	11	file adj2 association adj2 table\$2	US-PGPUB; USPAT	2004/02/10 17:14
35	BRS	2	((707/1-3,8,10.ccls. or 707/100-102.ccls. or 707/200,202-205.ccls. ) or (710/1,22,23.ccls. or 711/100,101,111,112,154,159- 162,165.ccls. )) and (file adj2 association adj2 table\$2)	US-PGPUB; USPAT	2004/02/10 17:16
36	BRS	358	((707/1-3,8,10.ccls. or 707/100-102.ccls. or 707/200,202-205.ccls. ) or (710/1,22,23.ccls. or 711/100,101,111,112,154,159- 162,165.ccls. )) and (file adj2 allocation adj2 table\$2)	US-PGPUB; USPAT	2004/02/10 17:17
37	BRS	1	((707/1-3,8,10.ccls. or 707/100-102.ccls. or 707/200,202-205.ccls. ) or (710/1,22,23.ccls. or 711/100,101,111,112,154,159- 162,165.ccls. )) and (file adj2 allocation adj2 table\$2) and (file adj2 association adj2 table\$2)	US-PGPUB; USPAT	2004/02/10 17:18
38	BRS	2	((707/1-3,8,10.ccls. or 707/100-102.ccls. or 707/200,202-205.ccls. ) or (710/1,22,23.ccls. or 711/100,101,111,112,154,159- 162,165.ccls. )) and (file adj2 allocation adj2 table\$2) and (pie adj chart\$2)	US-PGPUB; USPAT	2004/02/10 17:18
39	BRS	14940	707/1-3,8,10.ccls. or 707/100- 102.ccls. or 707/200,202- 205.ccls.	US-PGPUB; USPAT	2004/02/11 08:31
40	BRS	6282	710/1,22,23.ccls. or 711/100,101,111,112,154,159- 162,165.ccls.	US-PGPUB; USPAT	2004/02/11 08:31
41	BRS	91803	receiv\$4 with command\$2	US-PGPUB; USPAT	2004/02/11 10:18
42	BRS	11747	receiv\$4 with command\$2 with user\$2	US-PGPUB; USPAT	2004/02/11 10:28
43	BRS	3901	threshold\$2 with default\$2	US-PGPUB; USPAT	2004/02/11 10:20

44	BRS	1	capicit\$4 with storage adj2 device\$2	US-PGPUB; USPAT	2004/02/11 10:21
----	-----	---	---	--------------------	---------------------

	Type	Hits	Search Text	DBs	Time Stamp
45	BRS	9	capacit\$4 and storage adj2 device\$2	US-PGPUB; USPAT	2004/02/11 10:23
46	BRS	49415	capacit\$4 and storage adj2 device\$2	US-PGPUB; USPAT	2004/02/11 10:24
47	BRS	10519	capacit\$4 with storage adj2 device\$2	US-PGPUB; USPAT	2005/04/22 08:31
48	BRS	39	capacit\$4 with storage adj2 device\$2 and (threshold\$2 with default\$2)	US-PGPUB; USPAT	2004/02/11 10:24
49	BRS	12	((707/1-3,8,10.ccls. or 707/100-102.ccls. or 707/200,202-205.ccls. ) or (710/1,22,23.ccls. or 711/100,101,111,112,154,159-162,165.ccls. )) and (capacit\$4 with storage adj2 device\$2 and (threshold\$2 with default\$2))	US-PGPUB; USPAT	2004/02/11 10:25
50	BRS	350	((707/1-3,8,10.ccls. or 707/100-102.ccls. or 707/200,202-205.ccls. ) or (710/1,22,23.ccls. or 711/100,101,111,112,154,159-162,165.ccls. )) and (receiv\$4 adj2 command\$2 with user\$2)	US-PGPUB; USPAT	2004/02/11 10:29
51	BRS	232	((707/1-3,8,10.ccls. or 707/100-102.ccls. or 707/200,202-205.ccls. ) or (710/1,22,23.ccls. or 711/100,101,111,112,154,159-162,165.ccls. )) and (receiv\$4 adj2 command\$2 with user\$2) and computer and (data\$2base\$2 or data adj base\$2) and network\$2 and identif\$4	US-PGPUB; USPAT	2004/02/11 10:31
52	BRS	19037	707/1-3,8,10.ccls. or 707/100-102.ccls. or 707/200,202-205.ccls.	US-PGPUB; USPAT	2004/12/23 10:42
53	BRS	7698	710/1,22,23.ccls. or 711/100,101,111,112,154,159-162,165.ccls.	US-PGPUB; USPAT	2004/12/23 10:43
54	BRS	20645	707/1-3,8,10.ccls. or 707/100-102.ccls. or 707/200,202-205.ccls.	US-PGPUB; USPAT	2005/04/20 11:03
55	BRS	8207	710/1,22,23.ccls. or 711/100,101,111,112,154,159-162,165.ccls.	US-PGPUB; USPAT	2005/04/20 16:11



56	BRS	21041	707/1-3,7,8,10.ccls. or 707/100-102.ccls. or 707/200,202-205.ccls.	US-PGPUB; USPAT	2005/04/20 16:11
----	-----	-------	--	--------------------	---------------------

	Type	Hits	Search Text	DBs	Time Stamp
57	BRS	395	(sort\$4 with file\$2) and (storage adj2 device\$2) and (class\$2 or catagor\$4 or grpup\$2) and characteristic\$2	US-PGPUB; USPAT	2005/04/20 16:13
58	BRS	7889	(storage with capacit\$\$) and (exceed\$4 with threshold\$2) and (consum\$\$ or use\$2 or using)	US-PGPUB; USPAT	2005/04/20 11:09
59	BRS	15	S58 and S60	US-PGPUB; USPAT	2005/04/20 11:11
60	BRS	5601	\$2allocat\$4 and (data with (portion\$2 of part\$2)) and ((categor\$2 or class\$2 or group\$2) with file\$2)	US-PGPUB; USPAT	2005/04/20 11:15
61	BRS	1203	(S57 or S56) and (\$2allocat\$4 and (data with (portion\$2 of part\$2)) and ((categor\$2 or class\$2 or group\$2) with file\$2))	US-PGPUB; USPAT	2005/04/20 11:16
62	BRS	608	(S57 or S56) and (\$2allocat\$4 and ((portion\$2 of part\$2) adj2 data) and ((categor\$2 or class\$2 or group\$2) with file\$2))	US-PGPUB; USPAT	2005/04/20 11:17
63	BRS	68	(S57 or S56) and (reallocat\$4 and ((portion\$2 of part\$2) adj2 data) and ((categor\$2 or class\$2 or group\$2) with file\$2))	US-PGPUB; USPAT	2005/04/20 11:17
64	BRS	21041	707/1-3,7,8,10.ccls. or 707/100-102.ccls. or 707/200,202-205.ccls.	US-PGPUB; USPAT	2005/04/22 10:16
65	BRS	8207	710/1,22,23.ccls. or 711/100,101,111,112,154,159- 162,165.ccls.	US-PGPUB; USPAT	2005/04/21 08:05
66	BRS	395	(sort\$4 with file\$2) and (storage adj2 device\$2) and (class\$2 or catagor\$4 or grpup\$2) and characteristic\$2	US-PGPUB; USPAT	2005/04/20 16:14
67	BRS	20152	((generat\$4 with signal\$2) or (send\$4 with message\$2)) and (indicia or indication) and (user\$2 adj2 interface\$2)	US-PGPUB; USPAT	2005/04/20 16:16
68	BRS	65	((generat\$4 with signal\$2) or (send\$4 with message\$2)) and (indicia or indication) and (user\$2 adj2 interface\$2) and S68	US-PGPUB; USPAT	2005/04/20 16:16

	Type	Hits	Search Text	DBs	Time Stamp
69	BRS	15	(S66 or S67) and (((generat\$4 with signal\$2) or (send\$4 with message\$2)) and (indicia or indication) and (user\$2 adj2 interface\$2) and S68)	US-PGPUB; USPAT	2005/04/20 16:16
70	BRS	114	(file adj2 allocation adj2 table\$2) and (file adj2 extension\$2)	US-PGPUB; USPAT	2005/04/20 16:50
71	BRS	2	(file adj2 allocation adj2 table\$2) and (file adj2 extension\$2) and S68	US-PGPUB; USPAT	2005/04/20 16:50
72	BRS	21118	707/1-3,7,8,10.ccls. or 707/100-102.ccls. or 707/200,202-205.ccls.	US-PGPUB; USPAT	2005/04/21 08:05
73	BRS	8229	710/1,22,23.ccls. or 711/100,101,111,112,154,159- 162,165.ccls.	US-PGPUB; USPAT	2005/04/22 10:16
74	BRS	21118	707/1-3,7,8,10.ccls. or 707/100-102.ccls. or 707/200,202-205.ccls.	US-PGPUB; USPAT	2005/04/22 10:16
75	BRS	8229	710/1,22,23.ccls. or 711/100,101,111,112,154,159- 162,165.ccls.	US-PGPUB; USPAT	2005/04/22 10:16